





OUTLINE Test Method Fundamentals

1

CCI Testing Principles

2

Leak & Positive Controls

3

Gas flow: Flow Rate & Leak Size

4

Correlation between leak size (flow rate) & microbial contamination risk





RECAP


Most advanced CCIT technologies rely on gas flow:

- ☐ More reliable (for micron-size leaks)
- ☐ More predictable, some are quantitative

Smallest leaks <u>only</u> <u>allow</u>

Larger leaks <u>may also</u> <u>allow</u>

Largest leaks may also allow







CCI Testing Technology Overview

Technology	Test Medium	Typical Challenge Condition	Response	Detection
Microbial Challenge	Liquid flow (Microbial species)	Pressure differential	Turbidity due to microbe growth	Visual
Dye ingress	Liquid flow (Dye solution)	Pressure differential	Dye presence	Visual or spectrophotometer
Vacuum Decay	Gas flow	Pressure differential	Pressure change	Pressure transducer
Mass Extraction	Gas flow	Pressure differential	Mass flow	Mass flow sensor
Headspace (e.g., oxygen) Analyzer	Gas flow (e.g., O ₂)	Partial pressure differential (e.g., O2)	Oxygen	Laser absorption spectroscopy
Helium Leak Detection	Gas flow (Helium)	Pressure differential	Helium	Mass spectrometer
Optical Emission Spectrometry	Gas Flow (e.g., N ₂ , CO ₂ , Ar, H ₂ O)	Pressure differential	Air Leakage	OES
High Voltage Leak detection	Electron flow (Current)	High voltage	Current (electron flow)	Current to voltage converter



CCI Testing Technology Overview

Most CCIT technologies do not detect leak (defects) directly.

Instead, they detect presence of leak by monitoring the <u>biological and/or</u>
<u>physiochemical responses</u> caused by a medium passing through the leaking path, typically driven by certain challenge conditions.

Technology detection performance depends on:

- 1. Test medium: Liquid (with microbe/dye tracer) vs. gas
- 2. Challenge conditions: Pressure differential, high voltage
- 3. Response detection methods






Leak & Leak Standards


Leak

- □ A gap or breach in the container capable of permitting the passage of liquid or gas (Syn. "Leak path").
- □ Real world leaks are usually complex, featuring various shapes, length, forms; some are transient and can change over time.






Pulled Glass Capillary Tip (Micropipette)



Top view showing the tip orifice





Side view showing approximate length

Glass tube with the tip pulled into micron size capillary





Glass Capillary Tube

Uniform size through the length of the capillary tube






Image courtesy: Polymicro Technologies by Molex®











Laser Drilled Defect (Elastomer/Plastics)








- ☐ Laser drilled defect can be readily created in plastics or elastomer materials
- ☐ Defect size may change upon applying stress on elastomer materials (e.g., insertion in syringe barrel)




Laser Drilled Defects in Glass


The laser-drilled defects in glass are not 'ideal' defects but realistic 'tortuous path' defects


Glass Syringe Defects by Lenox Laser

















Nominal hole size 5 µm


Nominal hole size 15 µm


136



Laser Drilled Defects in Glass

Example image of a laser drilled defect on the laser exit (i.e., glass interior surface)





- Laser drilled defects in glass are not well-defined holes of a uniform size.
- Some may be made to approximate "holes" while others may resemble a network of cracks both are valuable as they represent specific types of "real-world" defects.

LASER

Know the laser drill processes and the defect characteristics.





Which Type of Defect Should I Use?

- ☐ Use positive controls that best resemble "real-world" defects of interest to demonstrate method effectiveness.
- ☐ Examples: To demonstrate the method is capable of detecting 10um defects.


Defect Type of interest	Positive Controls (10um)
IV bag leaks caused by punctures/ abrasion	Laser drilled pinhole on the bag film with ~10um ID (measured by microscopic imaging)
Poor seals or micro-channels on the IV bag seams	10um capillary tube of similar length glued into the seam (the 10um ID can be microscopically verified)
Cracks in a vial glass wall (~2mm thick)	Laser drilled irregular glass defects, calibrated to be ~10um using gas flow rate per USP method





Characterization of Leaks

- Most industries uses leak flow rate to characterize a leak
 - ✓ Leak flow rate directly correlated to the material loss through the leak (e.g., compressed natural gas pipeline leaks)
 - ✓ Leakage Flow Rate is a measure of the rate of gas flow (mass or volume units) which passes through a leak path under defined conditions of temperature and/or absolute or partial pressure gradient of leaking matter that exists across the package barrier
- ☐ Gas leak flow rates are usually expressed in standard cubic centimeter per second (sccs) under standard conditions (temperature 273K, pressure 760 torr)
 - ✓ Other units are also widely used









Characterization of Leaks

Pascal Cubic Meter Per Second	Standard Cubic Centimeter Per Second	Millibar Liter Per second	Torr Liter Per Second
Pa ⋅ m³ ⋅ s ⁻¹	Std cm³ · s ⁻¹ (Alternatively, sccs)	mb · L ·s⁻¹	torr ⋅ L ⋅s ⁻¹
1	9.87 (<u>~</u> 10)	1.00 x 10 ¹	7.50






Jackson CN, Sherlock CN, Moore PO, Nondestructive Testing Handbook, 3rd ed. Vol 1 Leak Testing, American Society for Nondestructive Testing, Inc. 1998



"Sizing" Leaks



"Leak size" is widely used in pharmaceutical industry as a key characteristic for leaks largely due to its close association with microbial ingress risk.

- Dimensionally sizing natural "real-world" leaks is not always practical nor precise.
 - Leaks are commonly thought of as HOLES or CHANNELS. But natural leaks are complex, multi-cavity, tortuous paths (rarely uniform)
 - Size alone does not fully define a "real-world" natural defect
- "Sizing", although not a comprehensive and precise characterization of a defect, is still useful because it allows for a rough and simplified assessment of microbial ingress risks





Methods for "Sizing" Defects Characterization

Direct microscopic dimensional measurement

 Usually applies to simple "regular" natural defects (e.g., pin holes on an IV bag film) or positive control defects (e.g., capillary tubes)

Calibration via gas diffusion rate (or headspace changes) measurement

Gas diffusion and headspace composition modeling are usually acceptable





Methods for "Sizing" Defects Characterization

Calibration via gas leak flow rate measurement

- Usually for complex "real-world" defects (e.g., glass cracks)
- A "nominal" size can be obtained by comparing the gas flow rate of the defect against known leak standards (e.g., NIST-traceable leak standards)
- Two types of leak standards are commonly used Need to specify
 - ✓ Orifice (a pin-hole of known size with essentially no depth)
 - ✓ Capillary (with known uniform ID and Length)









Sizing Based on Gas Leak Flow Rate – Calibration using Orifice Leak Standards

For orifice leaks (i.e., leaks with essentially no "depth", a.k.a. sharp edge defects)

Flow Rate $\propto d^2$

- Flow rate usually measured at a fully "chocked" conditions to simply the calculation.
- Methodology is included in USP<1207>.
- Nominal sizes can be easily calculated using the flow rate equation or online calculators

Calculator Examples:

https://lenoxlaser.com/resources/calculators/orifice-calculator/

	Gas Flow Calculator			
Orifice Diameter	DISABLED	DISABLED		
-	essure, Outlet Pressure, Temp ues are assumed to be absolut			
Inlet Pressure		psig	*	
Outlet Pressure		psig	*	
Gas Type*	Air		*	
Molecular Weight*	28.96			
Temperature		Fahrenheit	Ψ.	
Flow Rate		std cubic cm/min	*	
Orifice Diameter		Micron	*	
	Calculate	Γ		TI CARROY
	egister to unlock these options ur calculator app on the Googl			





Gas Leak Flow Rate vs. Orifice Size

Row	Air Leakage Rate ^a (stdcm ³ /s)	Orifice Leak Size ^b (µm)
1	<1.4 x E-6	<0.1
2	1.4 x E-6 to 1.4 x E-4	0.1 to 1.0
3	>1.4 x E-4 to 3.6 × E-3	>1.0 to 5.0
4	>3.6 x E-3 to 1.4 × E-2	>5.0 to 10.0
5	>1.4 x E-2 to 0.36	>10.0 to 50.0
6	>0.36	>50.0

A Dry air leakage rate measured at 1 atm differential pressure across an orifice leak (i.e., leak inlet pressure of 1 atm versus outlet pressure of approximately 1 Torr) at 25. The theoretical correlations of orifice sizes to air leakage rates were provided by Lenox Laser, Glen Arm, MD. Leakage rates are approximation ranges.



B Nominal diameter orifice sizes assume a leak path of negligible length. Orifice sizes are approximation ranges.



Sizing Based on Gas Flow Rate – Calibration using Capillary Leak Standards

For defects with significant length (L)

Gas Flow Model EXAMPLES

• Hagen-Poiseuille viscous flow (barometric, shallow vacuum)

$$Q = \frac{128}{\pi} \frac{d^4}{L} \times \frac{P_{IN} - P_{OUT}}{\mu}$$

• Knudsen model for molecular flow (small defects, hard vacuum)


$$m = \frac{\pi d^3}{\sqrt{2RT}} * \frac{P_{IN} - P_{OUT}}{L}$$

P_{in} - pressure inside package; P_{out} - pressure inside chamber; μ - Viscosity; T - Temperature; R - Specific Gas Constant Flow (Q-volumetric flow, mass flow)

= f (**d**, Length, Pin, Pout, T)


Kept constant


 Nominal sizes can be readily obtained experimentally by comparing flow rates of samples against those of known capillary standards (preferably of similar length L)






Sizing Based on Headspace Changes







Sizing Based on Gas Diffusion Rate (or Headspace Gas Concentration Change)



$$\overrightarrow{J} = -D\overrightarrow{\nabla}n$$
 Fick's 1st Law

$$\frac{\partial P_i(t)}{\partial t} = \frac{-D \cdot A_0}{V} \frac{\partial P_i(z,t)}{\partial z}$$

$$P_{oxygen}(t) = 20.9\%(1 - \exp(-\alpha t))$$

Ingress Rate
$$\alpha = \frac{D \cdot A_0}{l \cdot V} \left[s^{-1} \right]$$

USP <1207> states: "Mathematical models appropriate to leak flow dynamics may be used to predict the time required for detecting leaks of various sizes or rates."

The change in oxygen will be exponential with respect to time

The Ingress Rate is a function of the Diffusion Coefficient, the container Volume and the defect cross-sectional Area and Depth


D. Duncan, Lighthouse Instruments





Example: Headspace Oxygen % vs. Leak Size

The linear regression fit (RSQ) for each line was 0.99 or higher for each set of data.



Laser-drilled holes in thin metal plates are well-defined defects. They can therefore be used to generate 'calibration data' for gas ingress dynamics through a defect into a container.

D. Duncan, Lighthouse Instruments





Reporting Leak Size

- "Nominal" size a useful tool for communication with key stakeholders (e.g., business leaders, regulatory agency microbiology reviewers)
- Many methodologies can be used to "size" a leak the resultant nominal sizes may not in full agreement
- No consensus methodologies haven bee established yet
- When stating leak sizes (or reporting package integrity), it is important to define the measurement approach Be transparent!







Reporting Leak Size - Examples

Example 1. An intentional leak size-certified in gas flow rate terms.

A laser-drilled hole = $10.3 \mu m$, certified that the air flow rate through this defect matches that of a same diameter pre-drilled hole in a thin metal plate measured at defined pressure and temperature conditions.

Comment: This statement indicates that the intentional leak sample is characterized using USP 1207
methodology and therefore is suitable for use as a positive control in method development and
validation studies





Reporting Leak Size - Examples

Example 2. Unintentional leak(s) directly sized in gas flow rate terms.


A test package containing 100% helium (flooded prior to closure) demonstrated a helium leak rate of 1 x 10-7 mbarL/s, when tested using a helium mass spectrometer, at 1 atmosphere differential pressure and ambient temperature.

 Comment: This statement indicates that resultant helium leak rate is obtained using the identical methodology by Lee Kirsch as referenced in USP 1207. Therefore, the measured leak rate can be directly compared against the MALL to demonstrate container integrity.





Detection of Leaks Critical to Microbial Ingress





What is a "Calibrated Leak"?


Definition for CCIT case: Calibrated leak is the opening in wall of a container in a shape of orifice or crack that gives a specific flow rate for a given gas or liquid at given pressures applied to both sides of the material wall where the leak is made.

Slide courtesy of Greg Soylar, Lenox Laser





What is a "Calibrated Leak"?



This style of laser drilling with minimal damage to the piece. This is possible due to the creation of plasma in a technique called cold ablation.

Slide courtesy of Greg Soylar, Lenox Laser





